



## 10 096 1KF 00 RAINSHOWER AQUA PURE SHOWER SYSTEM WITH SAFETY MIXER FOR WALL MOUNTING



### PRODUCT DESCRIPTION (1/2)

- Colour: phantom black
- consisting of:
  - horizontal 435 mm shower arm
  - exposed SmartControl thermostat with metal housing
  - allows change between:
    - head shower Rainshower Aqua Duo square 400 x 230 mm, black acrylic spray plate
    - swing angle 0° - 30°
    - spray patterns: GROHE PureRain, ActiveRain
  - hand shower Rainshower Aqua 130 (101 676), black acrylic spray plate
  - spray patterns: GROHE Rain, Rain+ and ActiveMassage
  - adjustable in height with gliding element
  - initial Rainshower Aqua Pure unit (101 672 9990) enclosed
  - shower hose 1750 mm
  - GROHE Rainshower Aqua Pure removes chlorine and odor (hand shower)
  - GROHE SmartTip showering spray selection via push of a ring
  - GROHE EcoJoy - less water, perfect flow
  - maximum flow rate (at 3 bar): 8.7 l/min
  - GROHE SmartControl with recessed metal buttons, push for ON-OFF, turn for volume adjustment from minimum to full flow
  - GROHE ProGrip Metal with knurl structure
  - GROHE TurboStat - compact cartridge with wax thermoelement
  - GROHE SafeStop - safety button at 38°C
  - GROHE SafeStop Plus - optional temperature limiter at 43°C included
  - integrated GROHE EasyReach shower tray (black glass)
  - GROHE DreamSpray - perfect spray pattern
  - GROHE LongLife finish
  - GROHE SpeedClean - effortless limescale removal
  - Inner WaterGuide - inner insulation for surface protection
  - TwistStop - to prevent hose from twisting
  - GROHE CoolTouch prevents scalding on hot surfaces
  - suitable for instantaneous heaters from 18 kW/h
  - minimum flow rate 5 l/min.

Pure Freude  
an Wasser




## 10 096 1KF 00 **RAINSHOWER AQUA PURE SHOWER SYSTEM WITH SAFETY MIXER FOR WALL MOUNTING**

### **PRODUCT DESCRIPTION** (2/2)

- minimum pressure 1.0 bar
- internal 6 V lithium battery (42 886 000) type CR-P2
- battery lifetime approx. 10 years
- replacement filter: Rainshower Aqua Pure unit (101 672 9990)
- optional: Rainshower Aqua glass shelf (101 677)
- to change the filter, a minimum distance of 20 cm from the right-hand side wall must be maintained

## 10 096 1KF 00 RAINSHOWER AQUA PURE SHOWER SYSTEM WITH SAFETY MIXER FOR WALL MOUNTING



### SPARE PARTS, November 2022 – now

- 1: temperature control handle (Spare part-nr. 108445KF00)
  - 1.1: cap (Spare part-nr. 108446KF00)
  - 2: Fitting ring (Spare part-nr. 47743000)
  - 3: Thermostatic compact cartridge 1/2" (Spare part-nr. 47439000)
  - 4: Pushbutton incl. cartridge (Spare part-nr. 108447KF00)
  - 5: pushbutton filter (Spare part-nr. 108448KF00)
  - 6: flow sensor (Spare part-nr. 1084529990)
  - 7: filter lock incl. dummy (Spare part-nr. 1084519990)
  - 8: cap filter (Spare part-nr. 108449KF00)
  - 9: Filter cartridge for Rainshower Aqua Pure (Spare part-nr. 1016729990)
  - 10: Battery housing with battery (Spare part-nr. 42393000)
  - 10.1: Battery (Spare part-nr. 42886000)
  - 11: S-Union 1/2" X 3/4" (Spare part-nr. 1084559990)
  - 12: non-return valves (Spare part-nr. 108460999M)
  - 13: outlet nipple (Spare part-nr. 108454AL00)
  - 13.1: Non-return valve (Spare part-nr. 08565000)
  - 14: cover (Spare part-nr. 108484K000)
  - 15: glider (Spare part-nr. 108592KF00)
  - 16: Shower hose (Spare part-nr. 28388KF1)
  - 17: Dirt strainer (Spare part-nr. 0700200M)
  - 18: spare head shower (Spare part-nr. 108652KF00)
  - 18.1: set of replacement parts (Spare part-nr. 108603KF00)
  - 19: shower rail holder (Spare part-nr. 108588KF00)
  - 20: exchange shower system (Spare part-nr. 108558KF00)
  - 21: exchange-thermostat (Spare part-nr. 108549KF00)
  - 22: GROHE TurboStat cartridge 1/2" (Spare part-nr. 47175000)\*
  - 23: Shelf (Spare part-nr. 101677KF00)\*
  - 24: Socket Spanner (Spare part-nr. 19332000)\*
- \* Optional accessories