



10 096 1KI 00 RAINSHOWER AQUA PURE SHOWER SYSTEM WITH SAFETY MIXER FOR WALL MOUNTING



PRODUCT DESCRIPTION (1/2)

- Colour: black/chrome
- consisting of:
 - horizontal 435 mm shower arm
 - exposed SmartControl thermostat with metal housing
 - allows change between:
 - head shower Rainshower Aqua Duo square 400 x 230 mm, black acrylic spray plate
 - swing angle 0° - 30°
 - spray patterns: GROHE PureRain, ActiveRain
 - hand shower Rainshower Aqua 130 (101 676), black acrylic spray plate
 - spray patterns: GROHE Rain, Rain+ and ActiveMassage
 - adjustable in height with gliding element
 - initial Rainshower Aqua Pure unit (101 672 9990) enclosed
 - shower hose 1750 mm
 - GROHE Rainshower Aqua Pure removes chlorine and odor (hand shower)
 - GROHE SmartTip showering spray selection via push of a ring
 - GROHE EcoJoy - less water, perfect flow
 - maximum flow rate (at 3 bar): 8.7 l/min
 - GROHE SmartControl with recessed metal buttons, push for ON-OFF, turn for volume adjustment from minimum to full flow
 - GROHE ProGrip Metal with knurl structure
 - GROHE TurboStat - compact cartridge with wax thermoelement
 - GROHE SafeStop - safety button at 38°C
 - GROHE SafeStop Plus - optional temperature limiter at 43°C included
 - integrated GROHE EasyReach shower tray (black glass)
 - GROHE DreamSpray - perfect spray pattern
 - GROHE LongLife finish
 - GROHE SpeedClean - effortless limescale removal
 - Inner WaterGuide - inner insulation for surface protection
 - TwistStop - to prevent hose from twisting
 - GROHE CoolTouch prevents scalding on hot surfaces
 - suitable for instantaneous heaters from 18 kW/h
 - minimum flow rate 5 l/min.

Pure Freude
an Wasser




10 096 1KI 00 RAINSHOWER AQUA PURE SHOWER SYSTEM WITH SAFETY MIXER FOR WALL MOUNTING

PRODUCT DESCRIPTION (2/2)

- minimum pressure 1.0 bar
- internal 6 V lithium battery (42 886 000) type CR-P2
- battery lifetime approx. 10 years
- replacement filter: Rainshower Aqua Pure unit (101 672 9990)
- optional: Rainshower Aqua glass shelf (101 677)
- to change the filter, a minimum distance of 20 cm from the right-hand side wall must be maintained

10 096 1KI 00 RAINSHOWER AQUA PURE SHOWER SYSTEM WITH SAFETY MIXER FOR WALL MOUNTING



SPARE PARTS, July 2023 – now

- 1: temperature control handle (Spare part-nr. 108445KF00)
 - 1.1: cap (Spare part-nr. 108446KF00)
 - 2: Fitting ring (Spare part-nr. 47743000)
 - 3: Thermostatic compact cartridge 1/2" (Spare part-nr. 47439000)
 - 4: Pushbutton incl. cartridge (Spare part-nr. 108447KF00)
 - 5: pushbutton filter (Spare part-nr. 108448KF00)
 - 6: flow sensor (Spare part-nr. 1084529990)
 - 7: filter lock incl. dummy (Spare part-nr. 1084519990)
 - 8: cap filter (Spare part-nr. 108449KF00)
 - 9: Filter cartridge for Rainshower Aqua Pure (Spare part-nr. 1016729990)
 - 10: Battery housing with battery (Spare part-nr. 42393000)
 - 10.1: Battery (Spare part-nr. 42886000)
 - 11: S-Union 1/2" X 3/4" (Spare part-nr. 1084559990)
 - 12: non-return valves (Spare part-nr. 108460999M)
 - 13: outlet nipple (Spare part-nr. 108454AL00)
 - 13.1: Non-return valve (Spare part-nr. 08565000)
 - 14: cover (Spare part-nr. 108484K000)
 - 15: glider (Spare part-nr. 108592KI00)
 - 16: shower hose (Spare part-nr. 108655KI00)
 - 17: Dirt strainer (Spare part-nr. 0700200M)
 - 18: spare head shower (Spare part-nr. 108652KI00)
 - 18.1: set of replacement parts (Spare part-nr. 108603KI00)
 - 19: shower rail holder (Spare part-nr. 108588KF00)
 - 20: exchange shower system (Spare part-nr. 108558KI00)
 - 21: exchange-thermostat (Spare part-nr. 108549KI00)
 - 22: GROHE TurboStat cartridge 1/2" (Spare part-nr. 47175000)*
 - 23: Shelf (Spare part-nr. 101677KF00)*
 - 24: Socket Spanner (Spare part-nr. 19332000)*
- * Optional accessories