
Pure Freude an Wasser

38 526 000 **RAPID SL ELEMENT FOR WC, 0.82 M INSTALLATION HEIGHT**



PRODUCT DESCRIPTION (1/2)

- for on-the-wall installations or studded walls
- powder coated steel frame, self-supporting
- for dry-cladding, completely pre-assembled
- with fixed connections
- TÜV approved
- 2 WC fixing bolts
- distance of fixing bolts 180/230 mm
- PP outlet bend Ø 90 mm
- depth adjustable
- reducer Ø 90/110 mm
- inlet and outlet connecting set
- flushing cistern containing the following features:
- pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
- front or top actuation
- water supply from left/right or back
- low noise (group I acc. to German Noise Specification)
- insulated against condensation
- ½" water supply connection including integrated angle valve and push fit flexible hose union
- Shortable inspection shaft incl. protection during construction phase




38 526 000 **RAPID SL ELEMENT FOR WC, 0.82 M INSTALLATION HEIGHT**

PRODUCT DESCRIPTION (2/2)

- for on-the-wall installation 38 558 00M needs to be ordered separately
- for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)

38 526 000 **RAPID SL ELEMENT FOR WC, 0.82 M INSTALLATION HEIGHT**



SPARE PARTS, December 2012 – now

1: Threaded bolt (Spare part-nr. 4276400M)

2: WC inlet and outlet connecting set (Spare part-nr. 37311K00)

2.1: Basin fastening (Spare part-nr. 43511SH0)

2.2: Connector (Spare part-nr. 37119000)

3: PP-outlet bend Ø 90 mm (Spare part-nr. 42327000)

4: 4" Outlet Adaptor for Rapid SL (Spare part-nr. 42242000)

5: Support for outlet bend (Spare part-nr. 42243000)

6: Inspection shaft for flushing cistern (Spare part-nr. 42326000)

7: Filling valve (Spare part-nr. 37095000)

7.1: Lever (Spare part-nr. 43734000)

7.1.1: Seal (Spare part-nr. 4377000M)

7.2: Valve head (Spare part-nr. 43536000)

7.3: Membrane (Spare part-nr. 4375800M)

7.4: Screw cap (Spare part-nr. 43735000)

7.5: Valve FLOAT, 5 pcs.. (Spare part-nr. 4379100M)

7.6: Set of seals (Spare part-nr. 43722000)*

8: Support device (Spare part-nr. 42195000)

9: Overflow Sleeve (Spare part-nr. 43325000)

9.1: Sealing washer (Spare part-nr. 0319100M)

10: Headpart (Spare part-nr. 42385000)

11: Discharge valve AV1 complete (Spare part-nr. 42314000)

11.1: Pneumatic hose (Spare part-nr. 42319000)

11.2: Seal (Spare part-nr. 42310000)

11.3: Valve seat for GD2 (Spare part-nr. 42315000)

12: Wall brackets

(Spare part-nr. 3855800M)*

13: Adaptor (Spare part-nr. 38796000)*

14: Set for noise protection (Spare part-nr. 37131000)*

15: Xtra wall brackets, flexible placing (Spare part-nr. 38733000)*

* Optional accessories